

**Thank you for your interest in our schematics.** The schematic is available on the next page.

If you want to download additional parts of a schematic, or additional schematics, these must be requested individually.

To provide you with this information, more than 6000 members work regularly on the content of Radiomuseum.org.

As a member, you can access schematics, large images without watermarks and collector's prices. You will also surf at Radiomuseum.org without advertising. To do so, you may support Radiomuseum.org with a one-time membership fee of 20 € or 30 CHF or 25 US \$. We would be delighted if you joined as a member:

[https://www.radiomuseum.org/dsp\\_anmelden\\_start.cfm](https://www.radiomuseum.org/dsp_anmelden_start.cfm)

**These books might be of interest of you:**



**Hello, Everybody! The Dawn of American Radio**

Long before the Internet, another young technology was transforming the way we connect with the world. At the dawn of the twentieth century, radio grew from an obscure hobby into a mass medium with the power to reach millions of people.



**The Rise of Radio, from Marconi through the Golden Age**

As the dominant form of electronic mass communication in the United States from the 1930s into the 1950s, radio helped to forge a modern continental nation. It fused myriad subcultures heavily rural, ethnic, and immigrant into a national identity, unifying the nation in the face of the Depression and war.




**The Paraset Radio: The Story of a WWII Spy-Radio and How to Build a Working Replica**

This book describes the gripping story behind the Paraset – a unique spy-radio, dropped behind enemy lines in the dark days of WWII. This radio being both light weight and state of the art for the time was concealed in a suitcase, making ideal for use by the spies of SOE.

Click [here](#) for further information.

esmond.pitt@bigpond.com



SEE PARTS LIST FOR ALTERNATE VALUE OR APPLICATION  
DC COIL RESISTANCE VALUES UNDER ONE OHM NOT SHOWN ON SCHEMATIC DIAGRAM

A PHOTOFAC STANDARD NOTATION SCHEMATIC  
© Howard W. Sams & Co., Inc. 1959

TO INCREASE THE SENSITIVITY OF THE TAPE REPLAY INPUT FOR MIC OPERATION, CUT WHITE WIRE ON INPUT SWITCH

SELECTOR SW (M2)  
SHOWN IN "TAPE"  
POSITION  
SW SEQUENCE:  
1 - TAPE  
2 - TUNER  
3 - RIAA  
4 - LP  
5 - NARTB  
6 - 780E

RESISTANCE READINGS

ITEM	TUBE	Pin 1	Pin 2	Pin 3	Pin 4	Pin 5	Pin 6	Pin 7	Pin 8	Pin 9
V1	EF86 6267	† 2.2meg	0Ω	4700Ω	1.8Ω	0Ω	† 370K	0Ω	4700Ω	2.2meg
V2	EF86 6267	† 265K	0Ω	4700Ω	0Ω	1.8Ω	† 265K	0Ω	4700Ω	2.2meg

† MEASURED FROM PIN 6 OF POWER SOCKET.  
■ MEASURED FROM PIN 4 OF POWER SOCKET.

- DC voltage measurements taken with vacuum tube voltmeter.
- Socket connections are shown as bottom views.
- Measured values are from socket pin to common negative.
- Nominal tolerance on component values makes possible a variation of ±15% in voltage and resistance readings.
- Volume control at maximum. no signal applied for voltage measurements.